

Channel Hookup

LD: Alex Gibson
ALD: Chazz Malott
ME: Jasmine Lesane

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(1)	CATWALK-1	1	Source4 Zoom 750w	Front	R3206+ R132		
(2)	CATWALK-1	2	Source4 Zoom 750w	Front	R3206+ R132		
(3)	CATWALK-1	3	Source4 Zoom 750w	Front	R3206+ R132		
(4)	CATWALK-1	4	Source4 Zoom 750w	Front	R3206+ R132		
(5)	CATWALK-1	5	Source4 Zoom 750w	Front	R3206+ R132		
(6)	HL GRID PERIMETER	5	Source4 Zoom 750w	Front	R3206+ R132		
(7)	GRID PIPE E	1	Source4 Zoom 750w	Front	R3206+ R132		
(8)	GRID PIPE E	2	Source4 Zoom 750w	Front	R3206+ R132		
(9)	GRID PIPE E	3	Source4 Zoom 750w	Front	R3206+ R132		
(10)	HL GRID PERIMETER	6	Source4 Zoom 750w	Front	R3206+ R132		
(11)	GRID PIPE D	1	Source4 Zoom 750w	Front	R3206+ R132		
(12)	GRID PIPE D	2	Source4 Zoom 750w	Front	R3206+ R132		
(13)	GRID PIPE D	4	Source4 Zoom 750w	Front	R3206+ R132		
(14)	GRID PIPE D	6	Source4 Zoom 750w	Front	R3206+ R132		
(15)	HL GRID PERIMETER	4	Source4 Zoom 750w	Front	R3206+ R132		
(16)	GRID PIPE C	1	Source4 Zoom 750w	Front	R3206+ R132		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(17)	GRID PIPE C	3	Source4 Zoom 750w	Front	R3206+ R132		
(18)	GRID PIPE C	5	Source4 Zoom 750w	Front	R3206+ R132		
(19)	GRID PIPE C	7	Source4 Zoom 750w	Front	R3206+ R132		
(20)	GRID PIPE BC	4	Source4 Zoom 750w	Front	R3206+ R132		
(21)	GRID PIPE AA	7	Source4 Zoom 750w	Front	R3206+ R132		
(22)	GRID PIPE AA	14	Source4 Zoom 750w	Front	R3206+ R132		
(23)	3rd ELECTRIC	2	Source4 Zoom 750w	Front	R3206+ R132		
(24)	3rd ELECTRIC	4	Source4 Zoom 750w	Front	R3206+ R132		
(31)	SL Goal Post	1	ETC Source4 26deg 575w	SL Di Front	R3204+ R132, T: G636		
(32)	HR OUTER CATWALK	1	ETC Source4 19deg 575w	SL Di Front	R3204+ R132, T: G636		
(33)	HR GRID PERIMETER	3	ETC Source4 19deg 575w	SL Di Front	R3204+ R132, T: G636		
(34)	HR GRID PERIMETER	4	ETC Source4 19deg 575w	SL Di Front	R3204+ R132, T: G636		
(35)	GRID PIPE D	5	ETC Source4 19deg 575w	SL Di Front	R3204+ R132, T: G636		
(36)	Stage Left Box Booms	15	ETC Source4 50deg 575w	SL Di Front	R3204+ R132, T: G636		
(37)	Stage Left Box Booms	1	ETC Source4 26deg 575w	SL Di Front	R3204+ R132, T: G636		
(38)	HR GRID PERIMETER	2	ETC Source4 19deg 575w	SL Di Front	R3204+ R132, T: G636		
(39)	GRID PIPE C	2	ETC Source4 19deg 575w	SL Di Front	R3204+ R132, T: G636		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(40)	GRID PIPE C	4	ETC Source4 19deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(41)	Stage Left Box Booms	17	ETC Source4 50deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(42)	Stage Left Box Booms	10	ETC Source4 26deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(43)	Stage Left Box Booms	4	ETC Source4 19deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(44)	GRID PIPE BC	1	ETC Source4 19deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(45)	GRID PIPE BC	3	ETC Source4 19deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(46)	Stage Left Box Booms	12	ETC Source4 36deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(47)	Stage Left Box Booms	8	ETC Source4 26deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(48)	GRID PIPE B	3	ETC Source4 19deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(49)	GRID PIPE B	8	ETC Source4 19deg 575w	SL Di Front	<input checked="" type="radio"/> R3204+ R132, T: G636		
(51)	GRID PIPE D	3	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(52)	HL GRID PERIMETER	5	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	HR GRID PERIMETER	7	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(53)	HL GRID PERIMETER	3	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	HR GRID PERIMETER	5	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(54)	HR OUTER CATWALK	1	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(55)	SL Goal Post	1	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
	SR Goal Post	"	ETC Source4 26deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
(56)	GRID PIPE C	6	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(57)	GRID PIPE C	8	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(58)	HL GRID PERIMETER	2	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	HR GRID PERIMETER	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(59)	Stage Right Box Boom	1	ETC Source4 26deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	1.1	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(60)	Stage Right Box Boom	13	ETC Source4 50deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	13.1	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(61)	GRID PIPE B	17	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(62)	GRID PIPE BC	5	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(63)	GRID PIPE B	20	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(64)	Stage Right Box Boom	4	ETC Source4 26deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	4.1	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(65)	Stage Right Box Boom	15	ETC Source4 50deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	15.1	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(66)	GRID PIPE A	5	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(67)	GRID PIPE AB	6	ETC Source4 19deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(68)	Stage Right Box Boom	6	ETC Source4 26deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	6.1	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(69)	Stage Right Box Boom	17	ETC Source4 50deg 575w	SR Di Front	<input type="radio"/> N/C, T: G635		
	"	17.1	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-028		
(71)	Stage Left Box Booms	14	ETC Source4 LED 50deg 140w	SL Mid Side	<input type="radio"/> R119		
(72)	Stage Left Box Booms	9	ETC Source4 LED 26deg 140w	SL Mid Side	<input type="radio"/> R119		
(73)	HR GRID PERIMETER	1	ETC Source4 LED 19deg 140w	SL Mid Side	<input type="radio"/> R119		
(74)	Stage Left Box Booms	16	ETC Source4 LED 50deg 140w	SL Mid Side	<input type="radio"/> R119		
(75)	Stage Left Box Booms	11	ETC Source4 LED 26deg 140w	SL Mid Side	<input type="radio"/> R119		
(76)	Stage Left Box Booms	3	ETC Source4 LED 19deg 140w	SL Mid Side	<input type="radio"/> R119		
(78)	Stage Left Box Booms	13	ETC Source4 LED 26deg 140w	SL Mid Side	<input type="radio"/> R119		
(79)	Stage Left Box Booms	7	ETC Source4 LED 19deg 140w	SL Mid Side	<input type="radio"/> R119		
(80)	SL Boom #1	1	ETC Source4 LED 50deg 140w	SL Mid Side	<input type="radio"/> R119		
(81)	SL Boom #2	2	ETC Source4 LED 36deg 140w	SL Mid Side	<input type="radio"/> R119		
(82)	SL Boom #2	1	ETC Source4 LED 26deg 140w	SL Mid Side	<input type="radio"/> R119		
(84)	SL LADDER 2	1	ETC Source4 LED 19deg 140w	SL Mid Side	<input type="radio"/> R119		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(91)	HL GRID PERIMETER	1	ETC Source4 19deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	1.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(92)	Stage Right Box Boom	9	ETC Source4 26deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	9.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(93)	Stage Right Box Boom	12	ETC Source4 50deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	12.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(94)	Stage Right Box Boom	3	ETC Source4 19deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	3.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(95)	Stage Right Box Boom	10	ETC Source4 26deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	10.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(96)	Stage Right Box Boom	14	ETC Source4 50deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	14.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(97)	Stage Right Box Boom	7	ETC Source4 19deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	7.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(98)	Stage Right Box Boom	11	ETC Source4 26deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	11.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(99)	Stage Right Box Boom	18	ETC Source4 50deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	18.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(100)	Stage Right Box Boom	16	ETC Source4 36deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	16.1	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(101)	1ST ELECTRIC	25	ETC Source4 19deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	"	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(102)	SR LADDER 1	1	ETC Source4 19deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	"	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(103)	SR Boom #2	1	ETC Source4 50deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	"	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(104)	1ST ELECTRIC	26	ETC Source4 19deg 575w	SR Mid Side	<input type="radio"/> R119		
	"	"	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-019		
(111)	GRID PIPE B	1	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(112)	GRID PIPE B	4	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(113)	GRID PIPE B	9	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(114)	GRID PIPE B	13	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(115)	GRID PIPE AA	2	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(116)	GRID PIPE AA	5	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(117)	GRID PIPE AA	10	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(118)	1ST ELECTRIC	2	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(119)	1ST ELECTRIC	4	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(120)	1ST ELECTRIC	8	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(121)	1ST ELECTRIC	14	ETC Source4 PAR MFL 575w	SL Di Back Warm	<input checked="" type="radio"/> R3408		
(131)	GRID PIPE B	2	ETC Source4 PAR MFL 575w	SL Di Back Cool	<input checked="" type="radio"/> R3202		
(132)	GRID PIPE B	5	ETC Source4 PAR MFL 575w	SL Di Back Cool	<input checked="" type="radio"/> R3202		
(133)	GRID PIPE B	10	ETC Source4 PAR MFL 575w	SL Di Back Cool	<input checked="" type="radio"/> R3202		
(134)	GRID PIPE B	14	ETC Source4 PAR MFL 575w	SL Di Back Cool	<input checked="" type="radio"/> R3202		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(135)	GRID PIPE AA	3	ETC Source4 PAR MFL 575w	SL Di Back Cool	 R3202		
(136)	GRID PIPE AA	6	ETC Source4 PAR MFL 575w	SL Di Back Cool	 R3202		
(137)	GRID PIPE AA	11	ETC Source4 PAR MFL 575w	SL Di Back Cool	 R3202		
(138)	1ST ELECTRIC	3	ETC Source4 PAR MFL 575w	SL Di Back Cool	 R3202		
(139)	1ST ELECTRIC	5	ETC Source4 PAR MFL 575w	SL Di Back Cool	 R3202		
(140)	1ST ELECTRIC	9	ETC Source4 PAR MFL 575w	SL Di Back Cool	 R3202		
(141)	1ST ELECTRIC	15	ETC Source4 PAR MFL 575w	SL Di Back Cool	 R3202		
(151)	GRID PIPE B	11	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(152)	GRID PIPE B	15	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(153)	GRID PIPE B	18	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(154)	GRID PIPE B	21	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(155)	GRID PIPE AA	8	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(156)	GRID PIPE AA	15	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(157)	GRID PIPE AA	19	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(158)	1ST ELECTRIC	20	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(159)	1ST ELECTRIC	16	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(160)	1ST ELECTRIC	23	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		
(161)	GRID PIPE AA	21	ETC Source4 PAR MFL 575w	SR Di Back Warm	 R3408		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(171)	GRID PIPE B	12	ETC Source4 PAR MFL 575w	SR Di Back cool	<input checked="" type="radio"/> R3202		
(172)	GRID PIPE B	16	ETC Source4 PAR MFL 575w	SR Di Back cool	<input type="radio"/> R3202		
(173)	GRID PIPE B	19	ETC Source4 PAR MFL 575w	SR Di Back cool	<input checked="" type="radio"/> R3202		
(174)	GRID PIPE B	22	ETC Source4 PAR MFL 575w	SR Di Back cool	<input type="radio"/> R3202		
(175)	GRID PIPE AA	9	ETC Source4 PAR MFL 575w	SR Di Back cool	<input checked="" type="radio"/> R3202		
(176)	GRID PIPE AA	16	ETC Source4 PAR MFL 575w	SR Di Back cool	<input type="radio"/> R3202		
(177)	GRID PIPE AA	20	ETC Source4 PAR MFL 575w	SR Di Back cool	<input checked="" type="radio"/> R3202		
(178)	1ST ELECTRIC	21	ETC Source4 PAR MFL 575w	SR Di Back cool	<input type="radio"/> R3202		
(179)	1ST ELECTRIC	17	ETC Source4 PAR MFL 575w	SR Di Back cool	<input checked="" type="radio"/> R3202		
(180)	1ST ELECTRIC	24	ETC Source4 PAR MFL 575w	SR Di Back cool	<input type="radio"/> R3202		
(181)	GRID PIPE AA	22	ETC Source4 PAR MFL 575w	SR Di Back cool	<input checked="" type="radio"/> R3202		
(201)	GRID PIPE AB	1	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(202)	GRID PIPE AB	2	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(203)	GRID PIPE AB	3	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(204)	GRID PIPE AB	4	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(205)	GRID PIPE AB	5	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(206)	GRID PIPE A	1	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(207)	GRID PIPE A	2	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(208)	GRID PIPE A	3	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(209)	GRID PIPE A	4	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(210)	GRID PIPE AA	18	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(211)	GRID PIPE AA	4	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(212)	1ST ELECTRIC	11	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(213)	1ST ELECTRIC	19	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(214)	GRID PIPE AA	13	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(215)	GRID PIPE AA	17	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(216)	1ST ELECTRIC	6	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(217)	1ST ELECTRIC	12	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(218)	1ST ELECTRIC	18	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(219)	GRID PIPE AA	12	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(220)	GRID PIPE A	6	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(221)	1ST ELECTRIC	7	ETC Source4 26deg 750w	Backlight	<input type="radio"/> R119		
	"	"	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-020		
(222)	1ST ELECTRIC	13	ETC Source4 26deg 750w	Backlight	<input type="radio"/> R119		
	"	"	Wybron Forerunner 4	Scroller	<input type="radio"/> 11-020		
(223)	3rd ELECTRIC	5	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(224)	2nd ELECTRIC	2	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(225)	3rd ELECTRIC	7	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(226)	4th ELECTRIC	2	Altman PAR 64 NSP 1kW	Backlight			
	"	"	Wybron Forerunner 7	Scroller	<input type="radio"/> 12-020		
(251)	Stage Left Box Booms	18	ETC Source4 36deg 575w	SL Head High	<input checked="" type="radio"/> R3202+ R119		
(252)	Stage Right Box Boom	19	ETC Source4 36deg 575w	SR Head high	<input checked="" type="radio"/> R3202+ R119		
(253)	Stage Left Box Booms	19	ETC Source4 36deg 575w	SL Head High	<input checked="" type="radio"/> R3202+ R119		
(254)	Stage Right Box Boom	20	ETC Source4 36deg 575w	SR Head high	<input checked="" type="radio"/> R3202+ R119		
(255)	Stage Left Box Booms	20	ETC Source4 36deg 575w	SL Head High	<input checked="" type="radio"/> R3202+ R119		
(256)	Stage Right Box Boom	21	ETC Source4 36deg 575w	SR Head high	<input checked="" type="radio"/> R3202+ R119		
(257)	Stage Left Box Booms	21	ETC Source4 36deg 575w	SL Head High	<input checked="" type="radio"/> R3202+ R119		
(258)	Stage Right Box Boom	22	ETC Source4 36deg 575w	SR Head high	<input checked="" type="radio"/> R3202+ R119		
(259)	SL Boom #1	2	ETC Source4 36deg 575w	SL Head High	<input checked="" type="radio"/> R3202+ R119		

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(260)	SR Boom #1	1	ETC Source4 36deg 575w	SR Head high	 R3202+ R119		
(261)	SL Boom #2	3	ETC Source4 36deg 575w	SL Head High	 R3202+ R119		
(262)	SR Boom #2	2	ETC Source4 36deg 575w	SR Head high	 R3202+ R119		
(271)	Deck	1	ETC Source4 36deg 575w	SL Shin	 R3202+ R119		
(272)	Deck	2	ETC Source4 36deg 575w	SR shin	 R3202+ R119		
(273)	Deck	3	ETC Source4 36deg 575w	SL Shin	 R3202+ R119		
(274)	Deck	4	ETC Source4 36deg 575w	SR shin	 R3202+ R119		
(275)	Deck	5	ETC Source4 36deg 575w	SL Shin	 R3202+ R119		
(276)	Deck	6	ETC Source4 36deg 575w	SR shin	 R3202+ R119		
(277)	Deck	7	ETC Source4 36deg 575w	SL Shin	 R3202+ R119		
(278)	Deck	8	ETC Source4 36deg 575w	SR shin	 R3202+ R119		
(279)	SL Boom #1	3	ETC Source4 36deg 575w	SL Shin	 R3202+ R119		
(280)	SR Boom #1	2	ETC Source4 36deg 575w	SR shin	 R3202+ R119		
(281)	SL Boom #2	4	ETC Source4 36deg 575w	SL Shin	 R3202+ R119		
(282)	SR Boom #2	3	ETC Source4 36deg 575w	SR shin	 R3202+ R119		
(301)	HR Tension Diagonal	1	Martin MAC TW1 1,233w	Moving Light			
(302)	HL Tension Diagonal	1	Martin MAC TW1 1,233w	Moving Light			
(303)	Stage Left Box Booms	2	Martin MAC TW1 1,233w	Moving Light			

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(304)	Stage Right Box Boom	2	Martin MAC TW1 1,233w	Moving Light			
(305)	Stage Left Box Booms	6	Martin MAC TW1 1,233w	Moving Light			
(306)	Stage Right Box Boom	5	Martin MAC TW1 1,233w	Moving Light			
(307)	1ST ELECTRIC	10	Martin MAC TW1 1,233w	Moving Light			
(308)	1ST ELECTRIC	22	Martin MAC TW1 1,233w	Moving Light			
(351)	SL LADDER 3	2	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(352)	4th ELECTRIC	1	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(353)	3rd ELECTRIC	6	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(354)	3rd ELECTRIC	8	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(355)	3rd ELECTRIC	3	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(356)	SR LADDER 2	1	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(357)	4th ELECTRIC	4	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(358)	4th ELECTRIC	3	Seachanger 26deg	Stairs	<input type="radio"/> R119		
(361)	SL LADDER 1	1	Seachanger 36deg	Sm painting	<input type="radio"/> N/C, T: R78418		
(362)	Stage Right Box Boom	8	Seachanger 26deg	Sm painting	<input type="radio"/> N/C, T: R78418		
(363)	SR LADDER 2	2	Seachanger 26deg	Lg Painting	<input type="radio"/> N/C, T: R78418		
(364)	SL LADDER 3	1	Seachanger 26deg	Lg Painting	<input type="radio"/> N/C, T: R78418		
(365)	GRID PIPE B	6	Seachanger 19deg 575w	Statue	<input type="radio"/> R119, T: R78418		
(401)	GRID PIPE B	7	Chandelier Practical	Practical			
(402)	Stage Left Box Booms	5	Chauvet COLORdash Accent 10w	Chandelier			
(403)	GRID PIPE BC	2	Chauvet COLORdash Accent 10w	Chandelier			
(411)	2nd ELECTRIC	3	Chandelier Practical	Practical			

Channel Hookup

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dm	Adr
(412)	2nd ELECTRIC	1	Chauvet COLORdash Accent 10w	Chandelier			
(413)	2nd ELECTRIC	4	Chauvet COLORdash Accent 10w	Chandelier			
(501)	GRID PIPE AA	1	ETC Source4 26deg 750w	SL Windows	T:G789		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-033		
(502)	GRID PIPE AA	23	ETC Source4 26deg 750w	SR Windows	T:G789		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-033		
(503)	1ST ELECTRIC	1	ETC Source4 26deg 750w	SL Windows	T:G789		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-033		
(504)	1ST ELECTRIC	27	ETC Source4 26deg 750w	SR Windows	T:G789		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-033		
(505)	3rd ELECTRIC	1	ETC Source4 26deg 750w	SL Windows	T:G789		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-033		
(506)	3rd ELECTRIC	9	ETC Source4 26deg 750w	SR Windows	T:G789		
	"	"	Wybron Coloram II 4"	Scroller	<input type="radio"/> 21-033		

LD: Alex Gibson
 ALD: Chazz Malott
 ME: Jasmine Lesane

TABLE OF CONTENTS










1ST ELECTRIC	1	HL Tension Diagonal	10
2nd ELECTRIC	2	HR Tension Diagonal	10
3rd ELECTRIC	3	Stage Left Box Booms	11
4th ELECTRIC	3	Stage Right Box Boom	12
CATWALK-1	3	SL LADDER 1	13
GRID PIPE AA	4	SL LADDER 2	13
GRID PIPE A	5	SL LADDER 3	13
GRID PIPE AB	6	SR LADDER 1	14
GRID PIPE B	7	SR LADDER 2	14
GRID PIPE BC	8	SL Boom #1	14
GRID PIPE C	8	SL Boom #2	14
GRID PIPE D	9	SR Boom #1	14
GRID PIPE E	9	SR Boom #2	15
HL GRID PERIMETER	9	Deck	15
HR GRID PERIMETER	10	SL Goal Post	15
HR OUTER CATWALK	10	SR Goal Post	15

LD: Alex Gibson
 ALD: Chazz Malott
 ME: Jasmine Lesane


1ST ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Windows	ETC Source4 26deg	750w	T:G789	(503)		
1	Scroller	Wybron Coloram II 4"		○ 21-033	(503)		
2	SL Di Back Warm	ETC Source4 PAR MFL	575w	● R3408	(118)		
3	SL Di Back Cool	ETC Source4 PAR MFL	575w	● R3202	(138)		
4	SL Di Back Warm	ETC Source4 PAR MFL	575w	● R3408	(119)		
5	SL Di Back Cool	ETC Source4 PAR MFL	575w	● R3202	(139)		
6	Backlight	Altman PAR 64 NSP	1kW		(216)		
6	Scroller	Wybron Forerunner 7		○ 12-020	(216)		
7	Backlight	ETC Source4 26deg	750w	○ R119	(221)		
7	Scroller	Wybron Forerunner 4		○ 11-020	(221)		
8	SL Di Back Warm	ETC Source4 PAR MFL	575w	● R3408	(120)		
9	SL Di Back Cool	ETC Source4 PAR MFL	575w	● R3202	(140)		
10	Moving Light	Martin MAC TW1	1,233w		(307)		
11	Backlight	Altman PAR 64 NSP	1kW		(212)		
11	Scroller	Wybron Forerunner 7		○ 12-020	(212)		
12	Backlight	Altman PAR 64 NSP	1kW		(217)		
12	Scroller	Wybron Forerunner 7		○ 12-020	(217)		
13	Backlight	ETC Source4 26deg	750w	○ R119	(222)		
13	Scroller	Wybron Forerunner 4		○ 11-020	(222)		
14	SL Di Back Warm	ETC Source4 PAR MFL	575w	● R3408	(121)		
15	SL Di Back Cool	ETC Source4 PAR MFL	575w	● R3202	(141)		
16	SR Di Back Warm	ETC Source4 PAR MFL	575w	● R3408	(159)		
17	SR Di Back cool	ETC Source4 PAR MFL	575w	● R3202	(179)		
18	Backlight	Altman PAR 64 NSP	1kW		(218)		
18	Scroller	Wybron Forerunner 7		○ 12-020	(218)		
19	Backlight	Altman PAR 64 NSP	1kW		(213)		
19	Scroller	Wybron Forerunner 7		○ 12-020	(213)		

1ST ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
20	SR Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(158)		
21	SR Di Back cool	ETC Source4 PAR MFL	575w	 R3202	(178)		
22	Moving Light	Martin MAC TW1	1,233w		(308)		
23	SR Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(160)		
24	SR Di Back cool	ETC Source4 PAR MFL	575w	 R3202	(180)		
25	SR Mid Side	ETC Source4 19deg	575w	 R119	(101)		
25	Scroller	Wybron Forerunner 4		 11-019	(101)		
26	SR Mid Side	ETC Source4 19deg	575w	 R119	(104)		
26	Scroller	Wybron Forerunner 4		 11-019	(104)		
27	SR Windows	ETC Source4 26deg	750w	T:G789	(504)		
27	Scroller	Wybron Coloram II 4"		 21-033	(504)		

2nd ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Chandelier	Chauvet COLORdash Accent	10w		(412)		
2	Backlight	Altman PAR 64 NSP	1kW		(224)		
2	Scroller	Wybron Forerunner 7		 12-020	(224)		
3	Practical	Chandelier Practical			(411)		
4	Chandelier	Chauvet COLORdash Accent	10w		(413)		

3rd ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Windows	ETC Source4 26deg	750w	T:G789	(505)		
1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-033	(505)		
2	Front	Source4 Zoom	750w	<input type="radio"/> R3206+R132	(23)		
3	Stairs	Seachanger 26deg		<input type="radio"/> R119	(355)		
4	Front	Source4 Zoom	750w	<input type="radio"/> R3206+R132	(24)		
5	Backlight	Altman PAR 64 NSP	1kW		(223)		
5	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(223)		
6	Stairs	Seachanger 26deg		<input type="radio"/> R119	(353)		
7	Backlight	Altman PAR 64 NSP	1kW		(225)		
7	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(225)		
8	Stairs	Seachanger 26deg		<input type="radio"/> R119	(354)		
9	SR Windows	ETC Source4 26deg	750w	T:G789	(506)		
9	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-033	(506)		

4th ELECTRIC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Stairs	Seachanger 26deg		<input type="radio"/> R119	(352)		
2	Backlight	Altman PAR 64 NSP	1kW		(226)		
2	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(226)		
3	Stairs	Seachanger 26deg		<input type="radio"/> R119	(358)		
4	Stairs	Seachanger 26deg		<input type="radio"/> R119	(357)		

CATWALK-1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Front	Source4 Zoom	750w	<input type="radio"/> R3206+R132	(1)		
2	Front	Source4 Zoom	750w	<input type="radio"/> R3206+R132	(2)		
3	Front	Source4 Zoom	750w	<input type="radio"/> R3206+R132	(3)		
4	Front	Source4 Zoom	750w	<input type="radio"/> R3206+R132	(4)		
5	Front	Source4 Zoom	750w	<input type="radio"/> R3206+R132	(5)		

GRID PIPE AA

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Windows	ETC Source4 26deg	750w	T:G789	(501)		
1	Scroller	Wybron Coloram II 4"		21-033	(501)		
2	SL Di Back Warm	ETC Source4 PAR MFL	575w	R3408	(115)		
3	SL Di Back Cool	ETC Source4 PAR MFL	575w	R3202	(135)		
4	Backlight	Altman PAR 64 NSP	1kW		(211)		
4	Scroller	Wybron Forerunner 7		12-020	(211)		
5	SL Di Back Warm	ETC Source4 PAR MFL	575w	R3408	(116)		
6	SL Di Back Cool	ETC Source4 PAR MFL	575w	R3202	(136)		
7	Front	Source4 Zoom	750w	R3206+R132	(21)		
8	SR Di Back Warm	ETC Source4 PAR MFL	575w	R3408	(155)		
9	SR Di Back cool	ETC Source4 PAR MFL	575w	R3202	(175)		
10	SL Di Back Warm	ETC Source4 PAR MFL	575w	R3408	(117)		
11	SL Di Back Cool	ETC Source4 PAR MFL	575w	R3202	(137)		
12	Backlight	Altman PAR 64 NSP	1kW		(219)		
12	Scroller	Wybron Forerunner 7		12-020	(219)		
13	Backlight	Altman PAR 64 NSP	1kW		(214)		
13	Scroller	Wybron Forerunner 7		12-020	(214)		
14	Front	Source4 Zoom	750w	R3206+R132	(22)		
15	SR Di Back Warm	ETC Source4 PAR MFL	575w	R3408	(156)		
16	SR Di Back cool	ETC Source4 PAR MFL	575w	R3202	(176)		
17	Backlight	Altman PAR 64 NSP	1kW		(215)		
17	Scroller	Wybron Forerunner 7		12-020	(215)		
18	Backlight	Altman PAR 64 NSP	1kW		(210)		
18	Scroller	Wybron Forerunner 7		12-020	(210)		
19	SR Di Back Warm	ETC Source4 PAR MFL	575w	R3408	(157)		
20	SR Di Back cool	ETC Source4 PAR MFL	575w	R3202	(177)		
21	SR Di Back Warm	ETC Source4 PAR MFL	575w	R3408	(161)		
22	SR Di Back cool	ETC Source4 PAR MFL	575w	R3202	(181)		

GRID PIPE AA

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
23	SR Windows	ETC Source4 26deg	750w	T:G789	(502)		
23	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-033	(502)		
























GRID PIPE A

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Backlight	Altman PAR 64 NSP	1kW		(206)		
1	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(206)		
2	Backlight	Altman PAR 64 NSP	1kW		(207)		
2	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(207)		
3	Backlight	Altman PAR 64 NSP	1kW		(208)		
3	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(208)		
4	Backlight	Altman PAR 64 NSP	1kW		(209)		
4	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(209)		
5	SR Di Front	ETC Source4 19deg	575w	<input type="radio"/> N/C, T:G635	(66)		
5	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(66)		
6	Backlight	Altman PAR 64 NSP	1kW		(220)		
6	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(220)		






GRID PIPE AB

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Backlight	Altman PAR 64 NSP	1kW		(201)		
1	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(201)		
2	Backlight	Altman PAR 64 NSP	1kW		(202)		
2	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(202)		
3	Backlight	Altman PAR 64 NSP	1kW		(203)		
3	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(203)		
4	Backlight	Altman PAR 64 NSP	1kW		(204)		
4	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(204)		
5	Backlight	Altman PAR 64 NSP	1kW		(205)		
5	Scroller	Wybron Forerunner 7		<input type="radio"/> 12-020	(205)		
6	SR Di Front	ETC Source4 19deg	575w	<input type="radio"/> N/C, T:G635	(67)		
6	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(67)		











GRID PIPE B

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(111)		
2	SL Di Back Cool	ETC Source4 PAR MFL	575w	 R3202	(131)		
3	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(48)		
4	SL Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(112)		
5	SL Di Back Cool	ETC Source4 PAR MFL	575w	 R3202	(132)		
6	Statue	Seachanger 19deg	575w	 R119, T: R78418	(365)		
7	Practical	Chandelier Practical			(401)		
8	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(49)		
9	SL Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(113)		
10	SL Di Back Cool	ETC Source4 PAR MFL	575w	 R3202	(133)		
11	SR Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(151)		
12	SR Di Back cool	ETC Source4 PAR MFL	575w	 R3202	(171)		
13	SL Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(114)		
14	SL Di Back Cool	ETC Source4 PAR MFL	575w	 R3202	(134)		
15	SR Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(152)		
16	SR Di Back cool	ETC Source4 PAR MFL	575w	 R3202	(172)		
17	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(61)		
17	Scroller	Wybron Coloram II 4"		 21-028	(61)		
18	SR Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(153)		
19	SR Di Back cool	ETC Source4 PAR MFL	575w	 R3202	(173)		
20	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(63)		
20	Scroller	Wybron Coloram II 4"		 21-028	(63)		
21	SR Di Back Warm	ETC Source4 PAR MFL	575w	 R3408	(154)		
22	SR Di Back cool	ETC Source4 PAR MFL	575w	 R3202	(174)		








GRID PIPE BC

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(44)		
2	Chandelier	Chauvet COLORdash Accent	10w		(403)		
3	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(45)		
4	Front	Source4 Zoom	750w	 R3206+R132	(20)		
5	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(62)		
5	Scroller	Wybron Coloram II 4"		 21-028	(62)		




GRID PIPE C

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Front	Source4 Zoom	750w	 R3206+R132	(16)		
2	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(39)		
3	Front	Source4 Zoom	750w	 R3206+R132	(17)		
4	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(40)		
5	Front	Source4 Zoom	750w	 R3206+R132	(18)		
6	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(56)		
6	Scroller	Wybron Coloram II 4"		 21-028	(56)		
7	Front	Source4 Zoom	750w	 R3206+R132	(19)		
8	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(57)		
8	Scroller	Wybron Coloram II 4"		 21-028	(57)		









GRID PIPE D

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Front	Source4 Zoom	750w	 R3206+R132	(11)		
2	Front	Source4 Zoom	750w	 R3206+R132	(12)		
3	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(51)		
3	Scroller	Wybron Coloram II 4"		 21-028	(51)		
4	Front	Source4 Zoom	750w	 R3206+R132	(13)		
5	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(35)		
6	Front	Source4 Zoom	750w	 R3206+R132	(14)		

GRID PIPE E

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Front	Source4 Zoom	750w	 R3206+R132	(7)		
2	Front	Source4 Zoom	750w	 R3206+R132	(8)		
3	Front	Source4 Zoom	750w	 R3206+R132	(9)		

HL GRID PERIMETER

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SR Mid Side	ETC Source4 19deg	575w	 R119	(91)		
1.1	Scroller	Wybron Forerunner 4		 11-019	(91)		
2	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(58)		
3	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(53)		
4	Front	Source4 Zoom	750w	 R3206+R132	(15)		
5	SR Di Front	ETC Source4 19deg	575w	 N/C, T:G635	(52)		
5	Front	Source4 Zoom	750w	 R3206+R132	(6)		
6	Front	Source4 Zoom	750w	 R3206+R132	(10)		

HR GRID PERIMETER

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Mid Side	ETC Source4 LED 19deg	140w	<input type="radio"/> R119	(73)		
2	SL Di Front	ETC Source4 19deg	575w	<input type="radio"/> R3204+R132, T:G636	(38)		
2	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(58)		
3	SL Di Front	ETC Source4 19deg	575w	<input type="radio"/> R3204+R132, T:G636	(33)		
4	SL Di Front	ETC Source4 19deg	575w	<input type="radio"/> R3204+R132, T:G636	(34)		
5	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(53)		
7	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(52)		

HR OUTER CATWALK

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Di Front	ETC Source4 19deg	575w	<input type="radio"/> R3204+R132, T:G636	(32)		
1	SR Di Front	ETC Source4 19deg	575w	<input type="radio"/> N/C, T:G635	(54)		
1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(54)		



HL Tension Diagonal

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Moving Light	Martin MAC TW1	1,233w		(302)		

HR Tension Diagonal

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Moving Light	Martin MAC TW1	1,233w		(301)		

Stage Left Box Booms

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Di Front	ETC Source4 26deg	575w	 R3204+R132, T:G636	(37)		
2	Moving Light	Martin MAC TW1	1,233w		(303)		
3	SL Mid Side	ETC Source4 LED 19deg	140w	 R119	(76)		
4	SL Di Front	ETC Source4 19deg	575w	 R3204+R132, T:G636	(43)		
5	Chandelier	Chauvet COLORdash Accent	10w		(402)		
6	Moving Light	Martin MAC TW1	1,233w		(305)		
7	SL Mid Side	ETC Source4 LED 19deg	140w	 R119	(79)		
8	SL Di Front	ETC Source4 26deg	575w	 R3204+R132, T:G636	(47)		
9	SL Mid Side	ETC Source4 LED 26deg	140w	 R119	(72)		
10	SL Di Front	ETC Source4 26deg	575w	 R3204+R132, T:G636	(42)		
11	SL Mid Side	ETC Source4 LED 26deg	140w	 R119	(75)		
12	SL Di Front	ETC Source4 36deg	575w	 R3204+R132, T:G636	(46)		
13	SL Mid Side	ETC Source4 LED 26deg	140w	 R119	(78)		
14	SL Mid Side	ETC Source4 LED 50deg	140w	 R119	(71)		
15	SL Di Front	ETC Source4 50deg	575w	 R3204+R132, T:G636	(36)		
16	SL Mid Side	ETC Source4 LED 50deg	140w	 R119	(74)		
17	SL Di Front	ETC Source4 50deg	575w	 R3204+R132, T:G636	(41)		
18	SL Head High	ETC Source4 36deg	575w	 R3202+R119	(251)		
19	SL Head High	ETC Source4 36deg	575w	 R3202+R119	(253)		
20	SL Head High	ETC Source4 36deg	575w	 R3202+R119	(255)		
21	SL Head High	ETC Source4 36deg	575w	 R3202+R119	(257)		

Stage Right Box Boom

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SR Di Front	ETC Source4 26deg	575w	<input type="radio"/> N/C, T:G635	(59)		
1.1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(59)		
2	Moving Light	Martin MAC TW1	1,233w		(304)		
3	SR Mid Side	ETC Source4 19deg	575w	<input type="radio"/> R119	(94)		
3.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(94)		
4	SR Di Front	ETC Source4 26deg	575w	<input type="radio"/> N/C, T:G635	(64)		
4.1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(64)		
5	Moving Light	Martin MAC TW1	1,233w		(306)		
6	SR Di Front	ETC Source4 26deg	575w	<input type="radio"/> N/C, T:G635	(68)		
6.1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(68)		
7	SR Mid Side	ETC Source4 19deg	575w	<input type="radio"/> R119	(97)		
7.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(97)		
8	Sm painting	Seachanger 26deg		<input type="radio"/> N/C, T:R78418	(362)		
9	SR Mid Side	ETC Source4 26deg	575w	<input type="radio"/> R119	(92)		
9.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(92)		
10	SR Mid Side	ETC Source4 26deg	575w	<input type="radio"/> R119	(95)		
10.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(95)		
11	SR Mid Side	ETC Source4 26deg	575w	<input type="radio"/> R119	(98)		
11.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(98)		
12	SR Mid Side	ETC Source4 50deg	575w	<input type="radio"/> R119	(93)		
12.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(93)		
13	SR Di Front	ETC Source4 50deg	575w	<input type="radio"/> N/C, T:G635	(60)		
13.1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(60)		
14	SR Mid Side	ETC Source4 50deg	575w	<input type="radio"/> R119	(96)		
14.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(96)		

Stage Right Box Boom

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
15	SR Di Front	ETC Source4 50deg	575w	<input type="radio"/> N/C, T:G635	(65)		
15.1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(65)		
16	SR Mid Side	ETC Source4 36deg	575w	<input type="radio"/> R119	(100)		
16.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(100)		
17	SR Di Front	ETC Source4 50deg	575w	<input type="radio"/> N/C, T:G635	(69)		
17.1	Scroller	Wybron Coloram II 4"		<input type="radio"/> 21-028	(69)		
18	SR Mid Side	ETC Source4 50deg	575w	<input type="radio"/> R119	(99)		
18.1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(99)		
19	SR Head high	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(252)		
20	SR Head high	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(254)		
21	SR Head high	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(256)		
22	SR Head high	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(258)		

SL LADDER 1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Sm painting	Seachanger 36deg		<input type="radio"/> N/C, T:R78418	(361)		

SL LADDER 2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Mid Side	ETC Source4 LED 19deg	140w	<input type="radio"/> R119	(84)		

SL LADDER 3

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Lg Painting	Seachanger 26deg		<input type="radio"/> N/C, T:R78418	(364)		
2	Stairs	Seachanger 26deg		<input type="radio"/> R119	(351)		

SR LADDER 1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SR Mid Side	ETC Source4 19deg	575w	<input type="radio"/> R119	(102)		
1	Scroller	Wybron Forerunner 4		<input type="radio"/> 11-019	(102)		

SR LADDER 2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	Stairs	Seachanger 26deg		<input type="radio"/> R119	(356)		
2	Lg Painting	Seachanger 26deg		<input type="radio"/> N/C, T:R78418	(363)		

SL Boom #1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Mid Side	ETC Source4 LED 50deg	140w	<input type="radio"/> R119	(80)		
2	SL Head High	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(259)		
3	SL Shin	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(279)		





SL Boom #2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Mid Side	ETC Source4 LED 26deg	140w	<input type="radio"/> R119	(82)		
2	SL Mid Side	ETC Source4 LED 36deg	140w	<input type="radio"/> R119	(81)		
3	SL Head High	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(261)		
4	SL Shin	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(281)		









SR Boom #1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SR Head high	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(260)		
2	SR shin	ETC Source4 36deg	575w	<input checked="" type="radio"/> R3202+R119	(280)		



SR Boom #2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SR Mid Side	ETC Source4 50deg	575w	 R119	(103)		
1	Scroller	Wybron Forerunner 4		 11-019	(103)		
2	SR Head high	ETC Source4 36deg	575w	 R3202+R119	(262)		
3	SR shin	ETC Source4 36deg	575w	 R3202+R119	(282)		


Deck

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Shin	ETC Source4 36deg	575w	 R3202+R119	(271)		
2	SR shin	ETC Source4 36deg	575w	 R3202+R119	(272)		
3	SL Shin	ETC Source4 36deg	575w	 R3202+R119	(273)		
4	SR shin	ETC Source4 36deg	575w	 R3202+R119	(274)		
5	SL Shin	ETC Source4 36deg	575w	 R3202+R119	(275)		
6	SR shin	ETC Source4 36deg	575w	 R3202+R119	(276)		
7	SL Shin	ETC Source4 36deg	575w	 R3202+R119	(277)		
8	SR shin	ETC Source4 36deg	575w	 R3202+R119	(278)		

SL Goal Post

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SL Di Front	ETC Source4 26deg	575w	 R3204+R132, T:G636	(31)		
1	Scroller	Wybron Coloram II 4"		 21-028	(55)		

SR Goal Post

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	SR Di Front	ETC Source4 26deg	575w	 N/C, T:G635	(55)		